

**FLORIDA DEPARTMENT OF AGRICULTURE & CONSUMER SERVICES  
DIVISION OF ANIMAL INDUSTRY  
BUREAU OF DIAGNOSTIC LABORATORIES**

**Kissimmee Diagnostic Laboratory**  
PO Box 458006  
Kissimmee, FL 34745-8006  
Phone: (321) 697-1499  
Fax: (321) 697-1467

**Live Oak Diagnostic Laboratory**  
PO Drawer O  
Live Oak, FL 32064-0898  
Phone: (386) 330-5700  
Fax: (386) 330-5710

**Veterinarian/Submitter**

Dr. Denise Petty  
University of Florida  
Fishery and Aquatic Science  
7922 NW 71st St  
Gainesville, FL 32653

**Owner**

Joe Pawlak  
Blackwater Creek Koi Farm  
30540 E SR 44  
Eustis, FL 32736

**Fax:** (352)392-3672

**Accession:** 09-001712

**Species:** Aquatic

**Date received** 2/6/2009

**Specimens:** Fresh Tissue

TESTS REQUESTED AND HISTORY ON FILE. COPY AVAILABLE UPON REQUEST.

**REPORT HISTORY-**

**PRELIMINARY**

**FINAL** Email 4/20/2009, Mail 4/20/2009

**Test Name**

SVCV Isolation(30)

**Status**

Completed

---

 **Virology**

**Test:** Spring viremia of carp virus isolation

**Date completed:** 4/20/2009

<b>Animal I.D.</b>	<b>Breed</b>	<b>Specimen</b>	<b>Result</b>
2-1	Koi	Tissue	Negative
2-2	Koi	Tissue	Negative
2-3	Koi	Tissue	Negative
2-4	Koi	Tissue	Negative
2-5	Koi	Tissue	Negative
2-6	Koi	Tissue	Negative
2-7	Koi	Tissue	Negative
2-8	Koi	Tissue	Negative
2-9	Koi	Tissue	Negative
2-10	Koi	Tissue	Negative
2-11	Koi	Tissue	Negative
2-12	Koi	Tissue	Negative
2-13	Koi	Tissue	Negative
2-14	Koi	Tissue	Negative
2-15	Koi	Tissue	Negative
2-16	Koi	Tissue	Negative
2-17	Koi	Tissue	Negative
2-18	Koi	Tissue	Negative
2-19	Koi	Tissue	Negative
2-20	Koi	Tissue	Negative
2-21	Koi	Tissue	Negative
2-22	Koi	Tissue	Negative

2-23	Koi	Tissue	Negative
2-24	Koi	Tissue	Negative
2-25	Koi	Tissue	Negative
2-26	Koi	Tissue	Negative
2-27	Koi	Tissue	Negative
2-28	Koi	Tissue	Negative
2-29	Koi	Tissue	Negative
2-30	Koi	Tissue	Negative

Tissue homogenate was inoculated onto susceptible cell cultures and observed for cytopathic effects (CPE) for one week. Cultures negative for CPE were passaged onto fresh cell monolayers and observed for CPE for another week. A Negative result indicates no CPE was observed in both passages. This procedure conforms to OIE requirements for international trade.

**Comment:**

Farm Physical Address:  
24946 NE SR 69  
Blountstown, FL 35424  
Calhoun County

Koi collected from ponds 13,14,15,16,17 and 19 with water temps of 5.5-6.5 degrees C.

---

**End of Report**  
**Veterinary Bulletin:**

Alice Agasan, PhD – Bureau Chief / James Maxwell, DVM – Laboratories Director

**FLORIDA DEPARTMENT OF AGRICULTURE & CONSUMER SERVICES  
DIVISION OF ANIMAL INDUSTRY  
BUREAU OF DIAGNOSTIC LABORATORIES**

**Kissimmee Diagnostic Laboratory**  
PO Box 458006  
Kissimmee, FL 34745-8006  
Phone: (321) 697-1499  
Fax: (321) 697-1467

**Live Oak Diagnostic Laboratory**  
PO Drawer O  
Live Oak, FL 32064-0898  
Phone: (386) 330-5700  
Fax: (386) 330-5710

**Veterinarian/Submitter**

Dr. Denise Petty  
University of Florida  
Fishery and Aquatic Science  
7922 NW 71st St  
Gainesville, FL 32653

**Owner**

Joe Pawlak  
30540 E SR 44  
Eustis, FL 32736

**Fax:** (352)392-3672

**Accession:** 09-001145

**Species:** Aquatic

**Date received** 1/23/2009

**Specimens:** Fresh Tissue

TESTS REQUESTED AND HISTORY ON FILE. COPY AVAILABLE UPON REQUEST.

**REPORT HISTORY-**

**PRELIMINARY**

**FINAL** Email 3/11/2009, Mail 3/11/2009

**Test Name**

SVCV Isolation(30)

**Status**

Completed

---

 **Virology**

**Test:** Spring viremia of carp virus isolation

**Date completed:** 3/11/2009

<b>Animal I.D.</b>	<b>Breed</b>	<b>Specimen</b>	<b>Result</b>
2-1	Koi	Tissue	Negative
2-2	Koi	Tissue	Negative
2-3	Koi	Tissue	Negative
2-4	Koi	Tissue	Negative
2-5	Koi	Tissue	Negative
2-6	Koi	Tissue	Negative
2-7	Koi	Tissue	Negative
2-8	Koi	Tissue	Negative
2-9	Koi	Tissue	Negative
2-10	Koi	Tissue	Negative
2-11	Koi	Tissue	Negative
2-12	Koi	Tissue	Negative
2-13	Koi	Tissue	Negative
2-14	Koi	Tissue	Negative
2-15	Koi	Tissue	Negative
2-16	Koi	Tissue	Negative
2-17	Koi	Tissue	Negative
2-18	Koi	Tissue	Negative
2-19	Koi	Tissue	Negative
2-20	Koi	Tissue	Negative
2-21	Koi	Tissue	Negative
2-22	Koi	Tissue	Negative

2-23	Koi	Tissue	Negative
2-24	Koi	Tissue	Negative
2-25	Koi	Tissue	Negative
2-26	Koi	Tissue	Negative
2-27	Koi	Tissue	Negative
2-28	Koi	Tissue	Negative
2-29	Koi	Tissue	Negative
2-30	Koi	Tissue	Negative

Tissue homogenate was inoculated onto susceptible cell cultures and observed for cytopathic effects (CPE) for one week. Cultures negative for CPE were passaged onto fresh cell monolayers and observed for CPE for another week. A Negative result indicates no CPE was observed in both passages. This procedure conforms to OIE requirements for international trade.

**Comment:**

Farm Physical Address:  
24946 NE SR 69  
Blountstown, FL 35424  
Calhoun County

Koi collected from ponds with water temperature of: 5-8 degrees C.  
Samples collected from ponds 22,23,24,25,28,32. Twenty five fish from each.

---

**End of Report**  
**Veterinary Bulletin:**

Alice Agasan, PhD – Bureau Chief / James Maxwell, DVM – Laboratories Director