

**FLORIDA DEPARTMENT OF AGRICULTURE & CONSUMER SERVICES
DIVISION OF ANIMAL INDUSTRY
BUREAU OF DIAGNOSTIC LABORATORIES**

Kissimmee Diagnostic Laboratory
PO Box 458006
Kissimmee, FL 34745-8006
Phone: (321) 697-1499
Fax: (321) 697-1467

Live Oak Diagnostic Laboratory
PO Drawer O
Live Oak, FL 32064-0898
Phone: (386) 330-5700
Fax: (386) 330-5710

Veterinarian/Submitter

Dr. Kathleen Hartman
UF, Tropical Aquaculture Laboratory
1408 24th Street, SE
Ruskin, FL 33570

Owner

Joe Pawlak
30540 E SR 44
Eustis, FL 32736

Fax:

Accession: 09-O00972

Species: Aquatic

Date received 1/21/2009

Specimens: Fresh Tissue

TESTS REQUESTED AND HISTORY ON FILE. COPY AVAILABLE UPON REQUEST.

REPORT HISTORY-

PRELIMINARY

FINAL Email 2/26/2009, Mail 2/26/2009

Test Name

SVCV Isolation(30)

Status

Completed

 **Virology**

Test: Spring viremia of carp virus isolation

Date completed: 2/26/2009

Animal I.D.	Breed	Specimen	Result
4-1	Fish	Tissue	Negative
4-2	Fish	Tissue	Negative
4-3	Fish	Tissue	Negative
4-4	Fish	Tissue	Negative
4-5	Fish	Tissue	Negative
4-6	Fish	Tissue	Negative
4-7	Fish	Tissue	Negative
4-8	Fish	Tissue	Negative
4-39	Fish	Tissue	Negative
4-40	Fish	Tissue	Negative
4-41	Fish	Tissue	Negative
4-42	Fish	Tissue	Negative
4-43	Fish	Tissue	Negative
4-44	Fish	Tissue	Negative
4-45	Fish	Tissue	Negative
4-46	Fish	Tissue	Negative
4-47	Fish	Tissue	Negative
4-48	Fish	Tissue	Negative
4-49	Fish	Tissue	Negative
4-0	Fish	Tissue	Negative
4-51	Fish	Tissue	Negative
4-52	Fish	Tissue	Negative
4-53	Fish	Tissue	Negative
4-54	Fish	Tissue	Negative

4-55	Fish	Tissue	Negative
4-56	Fish	Tissue	Negative
4-57	Fish	Tissue	Negative
4-58	Fish	Tissue	Negative
4-59	Fish	Tissue	Negative
4-60	Fish	Tissue	Negative

Tissue homogenate was inoculated onto susceptible cell cultures and observed for cytopathic effects (CPE) for one week. Cultures negative for CPE were passaged onto fresh cell monolayers and observed for CPE for another week. A Negative result indicates no CPE was observed in both passages. This procedure conforms to OIE requirements for international trade.

Comment: Koi and Goldfish

Fish collected from ponds with water temperature of 60 degrees F.

Samples collected from 1,3,4,5 and Hoe pond.

End of Report

Veterinary Bulletin:

Alice Agasan, PhD – Bureau Chief / James Maxwell, DVM – Laboratories Director

**FLORIDA DEPARTMENT OF AGRICULTURE & CONSUMER SERVICES
DIVISION OF ANIMAL INDUSTRY
BUREAU OF DIAGNOSTIC LABORATORIES**

Kissimmee Diagnostic Laboratory
PO Box 458006
Kissimmee, FL 34745-8006
Phone: (321) 697-1499
Fax: (321) 697-1467

Live Oak Diagnostic Laboratory
PO Drawer O
Live Oak, FL 32064-0898
Phone: (386) 330-5700
Fax: (386) 330-5710

Veterinarian/Submitter

Dr. Kathleen Hartman
UF, Tropical Aquaculture Laboratory
1408 24th Street, SE
Ruskin, FL 33570

Owner

Joe Pawlak
30540 E SR 44
Eustis, FL 32736

Fax:

Accession: 09-001610

Species: Aquatic

Date received 2/4/2009

Specimens: Fresh Tissue

TESTS REQUESTED AND HISTORY ON FILE. COPY AVAILABLE UPON REQUEST.

REPORT HISTORY-

PRELIMINARY

FINAL Email 4/1/2009, Mail 4/1/2009

Test Name

SVCV Isolation(30)

Status

Completed

 **Virology**

Test: Spring viremia of carp virus isolation

Date completed: 4/1/2009

Animal I.D.	Breed	Specimen	Result
4-31	Fish	Tissue	Negative
4-32	Fish	Tissue	Negative
4-33	Fish	Tissue	Negative
4-34	Fish	Tissue	Negative
4-35	Fish	Tissue	Negative
4-36	Fish	Tissue	Negative
4-37	Fish	Tissue	Negative
4-38	Fish	Tissue	Negative
4-39	Fish	Tissue	Negative
4-40	Fish	Tissue	Negative
4-41	Fish	Tissue	Negative
4-42	Fish	Tissue	Negative
4-43	Fish	Tissue	Negative
4-44	Fish	Tissue	Negative
4-45	Fish	Tissue	Negative
4-46	Fish	Tissue	Negative
4-47	Fish	Tissue	Negative
4-48	Fish	Tissue	Negative
4-49	Fish	Tissue	Negative
4-50	Fish	Tissue	Negative
4-51	Fish	Tissue	Negative
4-52	Fish	Tissue	Negative
4-53	Fish	Tissue	Negative
4-54	Fish	Tissue	Negative

4-55	Fish	Tissue	Negative
4-56	Fish	Tissue	Negative
4-57	Fish	Tissue	Negative
4-58	Fish	Tissue	Negative
4-59	Fish	Tissue	Negative
4-60	Fish	Tissue	Negative

Tissue homogenate was inoculated onto susceptible cell cultures and observed for cytopathic effects (CPE) for one week. Cultures negative for CPE were passaged onto fresh cell monolayers and observed for CPE for another week. A Negative result indicates no CPE was observed in both passages. This procedure conforms to OIE requirements for international trade.

Comment: Koi and goldfish collected 02/03/2009 from ponds with water temperature of 62 degrees F.
Samples collected from 2,6,7,11,13.

End of Report
Veterinary Bulletin:

Alice Agasan, PhD – Bureau Chief / James Maxwell, DVM – Laboratories Director